



Certificate of Analysis

Compliance Test

Client Information:

Drink BREZ LLC
313 Datura Street, Ste.200
West Palm Beach, FL 33401

Batch # BBOG12003
Batch Date: 2024-04-20
Extracted From: Hemp

Test Reg State: Florida

Order # DRI240625-020001
Order Date: 2024-06-25
Sample # AAFS416

Sampling Date: 2024-06-26
Lab Batch Date: 2024-06-26
Completion Date: 2024-07-01

Volume: 355 ml

Number of Units: 1
Net Weight per Unit: 355000.000 mg



Product Image



**Potency
Tested**



**Terpenes
Tested**



**Heavy Metals
Passed**



**Mycotoxins
Passed**



**Pesticides
Passed**



**Residual Solvents
Passed**



**Pathogenic Microbiology
Passed**



**Microbiology (qPCR)
Passed**



Potency 25 (LCUV)

Specimen Weight: 20000.000 mg

Tested

SOP13.001 (LCMS)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (µg/ml)	
CBD	8.000	5.40E-5	0.0015	22.8600	0.002286
CBT	8.000	2.00E-4	0.0015	14.6400	0.001464
Delta-9 THC	8.000	1.30E-5	0.0015	14.0300	0.001403
CBC	8.000	1.80E-5	0.0015	<LOQ	<LOQ
CBCA	8.000	1.07E-4	0.0015	<LOQ	<LOQ
CBDA	8.000	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	8.000	6.50E-5	0.0015	<LOQ	<LOQ
CBDVA	8.000	1.40E-5	0.0015	<LOQ	<LOQ
CBG	8.000	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	8.000	8.00E-5	0.0015	<LOQ	<LOQ
CBL	8.000	3.50E-5	0.0015	<LOQ	<LOQ
CBN	8.000	1.40E-5	0.0015	<LOQ	<LOQ
CBNA	8.000	9.50E-5	0.0015	<LOQ	<LOQ
Delta-8 THC	8.000	2.60E-5	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	8.000	2.70E-5	0.003	<LOQ	<LOQ
Delta-8 THCV	8.000	4.00E-5	0.0015	<LOQ	<LOQ
Delta-9 THC-O Acetate	8.000	7.70E-5	0.003	<LOQ	<LOQ
Delta8-THCP *	8.000	3.75E-4	0.0015	<LOQ	<LOQ
Delta9-THCP *	8.000	1.17E-5	0.0012	<LOQ	<LOQ
Exo-THC	8.000	2.30E-4	0.0015	<LOQ	<LOQ
THCA-A	8.000	3.20E-5	0.0015	<LOQ	<LOQ
THCB *	8.000	1.80E-4	0.00195	<LOQ	<LOQ
THCH *	8.000	3.50E-4	0.00195	<LOQ	<LOQ
THCV	8.000	7.00E-6	0.0015	<LOQ	<LOQ
THCVA	8.000	4.70E-5	0.0015	<LOQ	<LOQ
Total Active CBD	8.000			22.860	0.002286
Total Active THC	8.000			14.030	0.001403



Potency Summary


Total Active THC 0.001403%	4.981mg	Total Active CBD 0.002286%	8.115mg
Total CBG -	ND	Total CBN -	ND
Total Cannabinoids 0.005153%	18.293mg		



Terpenes Summary

Analyte	Result (mg/g)	(%)
(R)-(+)-Limonene	0.022	0.002%
Total Terpenes: 0.002%		

Detailed Terpenes Analysis is on the following page



Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis
Compliance Test

Client Information:

Drink BREZ LLC
313 Datura Street, Ste.200
West Palm Beach, FL 33401

Batch # BBOG12003
Batch Date: 2024-04-20
Extracted From: Hemp

Test Reg State: Florida

Order # DRI240625-020001
Order Date: 2024-06-25
Sample # AAFS416

Sampling Date: 2024-06-26
Lab Batch Date: 2024-06-26
Completion Date: 2024-07-01

Volume: 355 ml

Number of Units: 1
Net Weight per Unit: 355000.000 mg



Terpenes

Specimen Weight: 451.000 mg

Tested
SOP13.045 (GC/GCMS)

Dilution Factor: 3.000

Analyte	LOQ (%)	Result (mg/g)	(%)	Analyte	LOQ (%)	Result (mg/g)	(%)
(R)-(+)-Limonene	0.002	0.022	0.002	Fenchyl Alcohol	0.002		<LOQ
(+)-Cedrol	0.002		<LOQ	Gamma-Terpinene	0.002		<LOQ
3-Carene	0.002		<LOQ	Geraniol	0.002		<LOQ
alpha-Bisabolol	0.002		<LOQ	Geranyl acetate	0.002		<LOQ
alpha-Cedrene	0.002		<LOQ	Guaiol	0.002		<LOQ
alpha-Humulene	0.002		<LOQ	Hexahydrothymol	0.002		<LOQ
alpha-Phellandrene	0.002		<LOQ	Isoborneol	0.002		<LOQ
alpha-Pinene	0.002		<LOQ	Isopulegol	0.002		<LOQ
alpha-Terpinene	0.002		<LOQ	Linalool	0.002		<LOQ
beta-Myrcene	0.002		<LOQ	Nerol	0.002		<LOQ
beta-Pinene	0.002		<LOQ	Ocimene	0.00033		<LOQ
Borneol	0.004		<LOQ	Pulegone	0.002		<LOQ
Camphene	0.002		<LOQ	Sabinene	0.002		<LOQ
Camphors	0.006		<LOQ	Sabinene Hydrate	0.002		<LOQ
Caryophyllene oxide	0.002		<LOQ	Terpinolene	0.002		<LOQ
cis-Nerolidol	0.002		<LOQ	Total Terpeneol	0.00126		<LOQ
Eucalyptol	0.002		<LOQ	trans-Caryophyllene	0.002		<LOQ
Farnesene	0.002		<LOQ	trans-Nerolidol	0.002		<LOQ
Fenchone	0.002		<LOQ	Valencene	0.002		<LOQ



Total Yeast and Mold

Specimen Weight: 485.500 mg

Passed
SOP13.017 (qPCR)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed




Pathogenic Microbiology SAE (MicroArray)

Specimen Weight: 1028.800 mg

Passed
SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

Drink BREZ LLC

313 Datura Street, Ste.200
West Palm Beach, FL 33401

Batch # BBOG12003
Batch Date: 2024-04-20
Extracted From: Hemp

Test Reg State: Florida

Order # DRI240625-020001
Order Date: 2024-06-25
Sample # AAFS416

Sampling Date: 2024-06-26
Lab Batch Date: 2024-06-26
Completion Date: 2024-07-01

Volume: 355 ml

Number of Units: 1
Net Weight per Unit: 355000.000 mg



Heavy Metals

Specimen Weight: 250.900 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 199

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ	Mercury (Hg)	.58	100	3000	<LOQ



Mycotoxins

Specimen Weight: 585.100 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					




Residual Solvents - FL (CBD)

Specimen Weight: 300.000 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 500.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	NA	3124.760	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					



Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

Drink BREZ LLC
313 Datura Street, Ste.200
West Palm Beach, FL 33401

Batch # BBOG12003
Batch Date: 2024-04-20
Extracted From: Hemp

Test Reg State: Florida

Order # DRI240625-020001
Order Date: 2024-06-25
Sample # AAFS416

Sampling Date: 2024-06-26
Lab Batch Date: 2024-06-26
Completion Date: 2024-07-01

Volume: 355 ml

Number of Units: 1
Net Weight per Unit: 355000.000 mg



Pesticides


Specimen Weight: 585.100 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	300	<LOQ	Fludioxonil	1.7400E+0	48	3000	<LOQ
Acephate	2.3000E-2	30	3000	<LOQ	Hexythiazox	4.9000E-2	30	2000	<LOQ
Acequinocyl	9.5640E+0	48	2000	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	3000	<LOQ	Imidacloprid	9.4000E-2	30	3000	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	1000	<LOQ
Azoxystrobin	8.1000E-2	10	3000	<LOQ	Malathion	8.2000E-2	30	2000	<LOQ
Bifenazate	1.4150E+0	30	3000	<LOQ	Metalaxyl	8.1000E-2	10	3000	<LOQ
Bifenthrin	4.3000E-2	30	500	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	3000	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	3000	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	3000	<LOQ
Chlorantraniliprole	3.3000E-2	10	3000	<LOQ	Naled	9.5000E-2	30	500	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chlormequat Chloride	1.0800E-1	10	3000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	200	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	1000	<LOQ
Clofentezine	1.1900E-1	30	500	<LOQ	Phosmet	8.2000E-2	30	200	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	1000	<LOQ	Prallethrin	7.9800E-1	30	400	<LOQ
Cypermethrin	1.4490E+0	30	1000	<LOQ	Propiconazole	7.0000E-2	30	1000	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	200	<LOQ	Pyrethrins	2.3593E+1	30	1000	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	3000	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	3000	<LOQ
Dimethomorph	5.8300E+0	48	3000	<LOQ	Spinosad	8.8000E-2	30	3000	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	3000	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	3000	<LOQ
Etoxazole	9.5000E-2	30	1500	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	3000	<LOQ	Tebuconazole	6.7000E-2	30	1000	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	2000	<LOQ	Thiamethoxam	5.0000E-2	30	1000	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	3000	<LOQ
Flonicamid	5.1700E-1	30	2000	<LOQ					


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

